

??????????????? ??? ?????? UV ????????? (1,5?30?)

Item Code: SIC-FF-UV-CT320-1524



FOB Price: ???.20 171/???.

Mini Order: 1 ???.

Average Rating: 41.3lb (18.79kg)

Inquire Now

Overview



?????????????

Детализация


??? ?????: 18,29??

??? ??????: 18,79??

???????: 0,17??

???????????

- ?????? ?????????? ?? ????????? ??????



Инструкция



1. Printing UV PET steel film

 Print the graphics at one location and dispatch to chain stores for installation.



2. Transporting and storage

- Roll the UV PET steel film graphic with printing face out, and put it in a tube for transporting or storage.
- •Storage the UV PET steel film graphics at 4°C-30°C.



3. Pre-cut and install the Wall-Mag

- Wall-Mag is compatible for all flat, clean and smooth surfaces, including curved and column surface.
- Pre-cut the Wall-Mag for small graphics area.



4. Install UV PET steel film graphics

- Align the graphics with the Wall-Mag and slightly roll it down.
- Sweep over the graphics by hand to ensure perfect attachment.
- Graphics can be easily installed by store personnel at any time.

Применение































Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com