

# ?????-?????? ???????????? LED SMD ????????? (30??, IP65)

Item Code: LED-HXYC-HX-TP-30W



FOB Price: ???.1 761/??.

Mini Order: 1 ??.

Average Rating: 3.3lb (1.5kg)

**Inquire Now** 

### **Overview**

#### ???????????:

????????? ????????? ????????? 85-265?

??????? ????????: 30??

??????????????????? 25??

?????????: 2400??

????????: 80-90?? ???????

???? ???????: ??????

?????? ??????? ??????: IP65

?????????????: 225 x 185 x 38??

??????: ???

???? ????????: 120 ????????





## 225mm





Light Source

Beam Angle


0.5 \* I

max


max

max

**Beam Angle** is the degree of width that light emits from a light source. In specific terms this is the angle between the opposing points on the beam axis where the intensity drops to 50% of its maximum. We normally produce 60 degree and 120 degree beam angle lights.



60 degree angles are often used for highlighting particular objects, such as within display cases, and also where light distribution needs to be restricted.



120 degree angles are suitable for dinning room, kitchen and living room.

Warm white is more Soft and closer to Halogen light.



Cool White is much clean and brighter.



#### ??????? ?????:























Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com