

3.2M LA Series Solvent Pirnter(XAAR600-60PL)

Item Code: LFIP-MJT-LA3208XR60



FOB Price: \$15,712/set

Mini Order: 1 set

Average Rating: 2886.4lb (1312kg)

Inquire Now

Overview

Description:

- . Xaar 600 Particle printhead.
- . Separate ink pressure system, saving ink and decreasing the cost for the clients.
- . Removable leg, decreasing the freight of the clients.
- . Photoelectricity sensor and automatic correction system.
- . Three-heating system: Pre-heater, printer heater, and after heater, adjust the suitable temperature of the media, increasing the printing quality.
- . Using the ink which is certified by Xaar, increase the speed 70% base on the original speed.

PACKING SIZE: 187.4"*37.4"*53.1" (4760*950*1350mm) **Net Weight/Gross Weight:** 61433.0lb (650kg)/1653.5lb (750kg)

Details:









Details

Colors	C,M,Y,K
Print Speed	95?/h 2pass
Maximum Resolution	720dpi
Max Media Width	126.0" (3200mm)
Ink type	Solvent Inks
Print head	Xaar 600 Particle Printhead?8 printheads?
Max print width	126.0" (3200mm)

Specifications

M	odel	LA3208XR60
Printii	ng Type	Separation Printing
Printing 7	Technology	Piezo printing
Printhe	ead Type	Xaar 600 Particle printhead (8 printheads)
Media Tr	ansmission	Roll-to-roll
Printi	ng Port	High speed USB boards
Data Tra	ansmission	Fabric Cable
Outpu	ut Model	Rip Printing/Printing After RIP/Net-print
RIP S	Software	Photoprint, Ultraprint
Printir	ng Mode	4 Colors with 8 printheads
	High speed:	95?/h 2pass
Speed	Mid speed:	75?/h 3pass
	Low speed:	65?/h 4pass
Heating	g System	Four heaters: front heater, bed heater, rear heater and printhead heater
Cleanin	g System	Air pressure and suction cleaning
Frame Structure		Steady steel structure is used on the machine body, and the combination of aluminum and steel on the girder
С	olor	C,M,Y,K

Power Requirement	220V AC
System	220V±10%,<4A,50/60HZ
Heating	220V±10%,<16A,50/60HZ
Operation Environment	Temperature:20°C?25°C ;Humidity:40%?70%RH
Printing Resolution	Adjustable(From 240dpi,360dpi to 1440dpi)
Media Types	Banner, adhesive vinyl, PVC self adhesive, backlit, Flex media within 0.2" (5mm) thickness
Printing/Media Width	71.0" (1800mm), 98.4" (2500mm),126.0" (3200mm)

























Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com