




Item Code: HTM-LCB4-I-LF



## Overview



?????? ??????. ?????? ? ?????????? ?????? ????????????? ????????????? ? ????????????? ????????????? ??????.

????????????????:

- ?????????? ?????????????????? ????
- ??? ??????? ??????
- ?????? ?????????? ?????? ?????????? ?????????? ? ?????????????????? ??????????????
- ?????????????? ?????? ?????????????? ?????????? ?????????? ??????.

## Details



Master Switch-Cut off the electricity automatically when the electric is short circuit.	Voltmeter Voltage displayed at real time.	Display Controller-Digital display controller for easy operating.	Emergency Push Button-safety of the operator and transferring effect.
---	---	---	---



Universal Pulleys-It's very convenient and easy to move and brake the machine if necessary.	Rail-like Track-Pull and push the working table easily and freely.	Barometer-The air pressure is adjustable according to different sublimation blanks.	Inside Structure-Neat wiring
---	--	---	------------------------------

### Heat Platen Test:

Each Single Copper sheathed heating rod is tested before it is cast in an aluminum alloy or Mica Sheet. These heating rods are comparable to those found in industrial ovens that heat up quickly, work efficiently and last many years.

### Finished Machine Test:

- 1) Turn on the machine, let it heating up to 200 degree Celsius.
- 2) Keep the temperature stay at 200 degree Celsius for at least half an hour.

### Warm Tips:

Color of the machine is variable, and the color is random according to the ones in stock when you buy the machine. Certainly, you can choose the color we have made but need time to finish if it's not in stock. Also, you can customize the color you like but need extra cost and large order.



## Application

??????????:

????? ?????? ?????????????? ?? ?????? ?? ??????????, ????????? ??????, ????????? ?? ?????????, ????????? ??????????,  
 ?????????? ??????, ??????, ?????????? ??????? ? ?.

# Love painting



**T-shirts:**









Personal Photo Frame:



Jigsaw Puzzle:









Rock Slate:








Process







### Quality Report:

**Package:**



## Specifications

Model	HTM-LCB4-I-LF
Voltage	220V/380V (Three Phase)
Power	6KW
Size	24" x 31" (600 x 800mm)
Temperature Range	0°C-250°C
Time Range	0-999sec
Packing Size	47.2" x 61.0" x 35.4" (120 x 155 x 90cm ) (wooden case)
Gross Weight	178.6lb (393kg)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com