



Sign-in-China.com
One Stop Solution For AD signs

35" x 59" (900mm x 1500mm) Heavy-Duty Stone/Glass CNC Router

Item Code: CNCR-SD-9015SAI Plus



FOB Price: **\$9,787/set**

Mini Order: 1 set

Shipping Weight: ★★☆☆☆

Average Rating: 1980.0lb (900kg)

[Inquire Now](#)

Overview

Applications:

This series of CNC engravers are mainly used for processing many kinds of hard materials such as: marble, granite, glass, floor tiles, and soft metals.

Main Configuration Information

Engraving Area: 900*1500mm

Gantry elevation height: 300mm

Maximum Traveling Speed: 20m/min (NcStudio control system)

Spindle Power: 5.5KW water cooled

Machine Body: One-piece cast iron, water cooling circulation system + spray nozzle + front and back of machine with **pulley gear and water tank**.

Pulley gear installed in the front of the working table to load stone more easily, it is very convenient for moving stone. Water tank installed at the back of the working table to store water.

X and Y axis adopt helical rack gear wheel transmissions, which increase the machine's intensity and lifespan. Z axis adopts ball screw transmission to ensure precision in the process.

X, Y, Z axis adopt round rods guide structure, both resistant and anticorrosive. High quality fittings make the machine drive smoothly.

NcStudio control system.

15 pcs engraving tools for stone engraving.



Pulley gear	Water tank
-------------	------------

Standard Accessories

image not found userfiles/2011-May/01Clamp and screws	image not found userfiles/2011-May/02Engraving bits collets and nuts	image not found userfiles/2011-May/03PCI Control card	image not found userfiles/2011-May/04Power cable and date cable
Clamp and screws	Engraving bits collets and nuts	PCI Control card	Power cable and date cable
image not found userfiles/2011-May/05Engraving software	image not found userfiles/2011-May/06Shrink tube.jpg	image not found userfiles/2011-May/07User Manual	image not found userfiles/2011-May/08Water pump.jpg
Ucancam V8 engraving software	Shirk tube	User Manual	Water pump

Spare Parts

Engraving Tools. Please visit http://www.sign-in-china.com/catalogs/136/Engraving_bits.html to find suitable tools.

Waranty and aftersales service

Comprehensive warranty for one year, except the spare parts.
24-hour technical support by email or telephone.
User-friendly English manual for machine usage and maintenance.

Samples:



Details

Interface	USB
Engraving Software	Ucancam V8
Type Of Worktable	Water coolling circulation system+spray nozzle
Repetition Precision	0.01mm
Engraving Precision	mm/Pulse 0.001
Rotational Speed Of Spindle	24,000rpm/min
Spindle Power	5.5KW water-cooled

Maximum Engraving Speed	20m(787")/min
Maximum Engraving Area	900*1500mm

Specifications

Specifications	
Operating System	Windows98/2000/XP
Maximum Engraving Area	35"×59"(900×1500mm)
Worktable Size	39"×63"(1000×1600mm)
Spindle Power	5.5KW water-cooled
Working Voltage	AC380V, 50Hz
Transducer	5.5KW
Maximum Carving Height	11.8"(300mm)
Maximum Carving Speed	<20m(787")/min
Command	G code, u00 *.plt
Resolution	(mm/Pulse 0.001)
Repetition Precision	0.01mm
Rotational of Spindle	24,000rpm/min
Engraving Tool Diameter	12, 6, 4, 3.175mm
Z Axis Driver	Stepper motor
Clamping Unit	8 sets
Software	Ucancam V8
Control System	Ncstudio system
Machine Dimensions	77"×41"×61"(1950×1050×1550mm)
Machine Weight	750kg

Packaging	Wooden case
Packaging Size	102"×69"×73"(2580×1750×1850mm)
Gross Weight	900kg

Tags

[35" x 59" Glass CNC Router](#) [35" x 59" Stone CNC Router](#) [CNC Router](#) [Glass CNC Router](#) [Stone CNC Router](#)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com