



## 81" Cabinet Frame Full-auto Cold Laminating Machine

Item Code: FMJ-2050-ZJX



FOB Price: **\$5,513/set**

Mini Order: 1 set

Shipping Weight: ★★★★★

Average Rating: 1320.0lb (600kg)

[Inquire Now](#)

### Overview

#### Cabinet Frame Full-auto Self-peeling Model

This series of cold laminator is updated from FMJ-ZJ Series Stand Frame Cold Laminator.

Support Roll to Roll Laminating- maximize your productivity.

The FMJ-ZJX series laminator is capable of running a wider range of media and can generate higher process speeds, which make this range of machines ideal for business that are looking to build in extra capacity and more versatility.

A perfect fit for owners of lower-end laminators, looking to upgrade to a professional production machine.

Available size in 43.3" (1100mm), 51.2" (1300mm), 63.0" (1600mm), 66.9" (1700mm), 80.7"(2050mm), 90.6" (2300mm) model.

#### Products Highlights:

- . Perfect for high volume over-laminating and mounting.
- . Support Roll to Roll Laminating- maximize your productivity.
- . This series of cold laminator is updated from FMJ-ZJ Stand Frame COLD Laminator. Cabinet frame design makes the structure more steady, working more stable.
- . 43", 51", 63", 67", 81", 91" Maximum working film width for your option.
- . 3" core auto-grip rollers for easy laminating film setup.
- . 6" bigger rollers for best quality laminating control. Maximum nip opening up to 1" for a wide material range of film and substrate.
- . Easy operation panel:
  - Forward, Backward
  - Foot Pedal Control
  - Various speed adjustment
  - Emergency Stop Button
- . In order to coating different thickness of material, the laminator is equipped with indicator for lifting height of roller.
- . Matched with photocell eye, it can protect the roller from damaged.
- . Highest productive product & great value.
- . Electric model, stepless speed regulating, with foot pedal switch.
- . Full-auto Self-peeling Model, taking up and rolling back paper and picture automatically.

#### Application:

Laminator is belong to after printing equipment. Available for Ad. Shop, photographic, and copy shop to do lamination work, adding a

protective layer on books cover, photographic, color pages, documents, charts, drawings, indoor advertising products, etc.

Applicable Laminating Medium:

Photo paper, self adhesive PP, backlit film or transparent film.

**Guarantee & Aftersales Service:**

Comprehensive guarantee for one year.

24-hour technical support by email or calling.

User-friendly English manual for machine using and maintaining.

**Details**

Maximum Laminating Width	81" (2050mm)
Maximum Laminating Thickness	1" (25mm)
Rollers Diameter	5" (155mm)
Maximum Laminating Speed	197" (5m) / min
Maximum Internal Diameter of	3"
Profile	Full-auto cold laminator machine (Automatic take-up

roll for both printed images and back paper by one

**Specifications**

person), with functions of single sided cold laminating

**Specification:**

or mounting. Updated from FMJ-ZJ series stand frame

cold laminator, it adopts cabinet frame, all-metal

casing shell, more stable working performance.

Reducing labor cost and improving quality! High value-

**FMJ-2050-ZJX**

added products-Capable of running a wider range of

media and can generate higher process speeds.

<b>Model</b>	
Max. Laminating Width	80.7" (2050mm)
Max. Laminating Thickness	1.0" (25mm)
Laminating Speed	0-196.9" (0-5m)/ min
Forward / Reverse	Yes
Foot Pedal	Yes
Emergency Stop	Yes
Auto Rewind Liner Pickup	Yes
After Laminating Pickup	Yes
Roller's Diameter	6.1" (155mm)
Media Core Size	3"
Motor Power	90W

Power	AC 80V-110V, AC 110V-240V, 50 / 60Hz
Machine Dimension	95.3"*25.2"*48.0" (2420*640*1220mm)
Machine Weight	903.9lb (410kg)
Package	Fumigation free package
Packing Size	102.4"*29.5"*58.3" (2600*750*1480mm)
Gross Weight	1164.0lb (528kg)

## Tags

[81" Cabinet Frame Full-auto Cold Laminator Machine](#) [Cold Laminator Machine](#)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com