



Noah 3-SMD 3528 Non Water-proof Module

Item Code: LED module-LT-B80X3-3CNWF



FOB Price: **\$0.33/pc**

Mini Order: 200 pcs

Average Rating: 1b (kg)

[Inquire Now](#)

Overview

Characteristic:

Noah 3-SMD 3020 module adopts 3020 SMD LED light source. With the following features; large angle, small decline light, and light weight. Electrical design ensures a perfect performance of more than 50,000 hours working, energy saving, etc. And the Protection level is IP33 is suitable to be used as outdoor or indoor. Ultra-small ad word backlight.

Characteristics:

- . High brightness LED SMD as a lamp-house, with wide angle view and small aperture.
- . Controlled by the chips with constant current, has a steady current between the cathode and the anode.
- . Low voltage, safe, and jarless.
- . With a settled orifice and 3M gummed paper, very convenient to install.
- . Longlife above 80,000 hrs.
- . Low power consumption, energy conservation and electricity-saving.

Usage:

LED SMD modules are widely used for solid lighting character, LED signs, LED lighting box, scenery designs, decoration, etc.

Light parameters

LED type	SMD3528
LED quantity	3PCS
Optional color	R/G/B/Y/W/CW
LED view angle	?120°
Life span	50,000H

Luminous flux (lm)

Red	green	blue	yellow	white	cool white
0.1floc (3.3lm)	0.3floc (9lm)	0.1floc (2.7lm)	0.1floc (3lm)	0.5floc (13lm)	0.5floc (13lm)

Wavelength/ color temperature (nm/K)

Red	green	blue	yellow	white	cool white
620-630	515-525	463-475	585-595	5000-7000	11000-15000

Electrical parameters

Operating Voltage

DC12V

Drive method

Constant voltage drive

Power

0.24W

Interface Standard

Interface definition

Standard cascade

Max cascade

20PCS

20PCS

Appearance

Color

Shell material

Dimensions

Beige

Anti-static ABS

3.1"*0.4"*0.2" (80*10*5.4mm)

Usage

Set screw

Adhesive fixed

Bitmap

Double faced adhesive tape

Environmental parameters

Operating temperature

Storage temperature


IP grade

-40?-50?

-50?-60?

IP3

Sample:



Details

Material	Plastic
LED Number	3
SMD Package Model	3528
Color	White
Shape	Rectangular
Brightness	Low



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email: info@sign-in-china.com Tel: +86 132 6410 3286 www.sign-in-china.com