



P12 Full Color Led Dip Lamp

Item Code: FC-LJ-P12Dip



FOB Price: **\$2,390/sq.m**

Mini Order: 1 roll

Average Rating: lb (kg)

[Inquire Now](#)

Overview

Description:

This P12 outdoor full color advertising LED display screen adopts physical and virtual pixel technology. The images are more clear and vivid with no flickering or blinding dots. This display has a water and dustproof design, so it can work very well in the rain or under the sun. The product structure is very convenient for disassembling. And the size of cabinet can be customized, thus it's an ideal product for




advertising.

Advantages:

- . High quality and brightness, wide color span.
- . High reliability and anti-static LED chips from 'renowned' factory.
- . Automatic equipment producing.
- . Constant current, LED and driving panel are designed separately.
- . Sealed with high quality silicone, carefully tested by water spraying before delivery.
- . High accuracy and numerical control metal plate cabinet.

- . Durable and long lifespan.



Cabinet Size:

RS12S 64*48dots	30.2"*22.7" (768*576mm)
PS12 64*64dots	30.2"*30.2" (768*768mm)
PS12 96*96dots	45.4"*45.4" (1152*1152mm)
BS12 128*80dots	60.5"*37.8" (1536*960mm)

Details

Environment	Outdoor
-------------	---------

Specifications

Specification:

Pixel pitch	0.5" (12mm)	Module size
Module resolution	16*8	Cabinet size
Cabinet resolution	64*48	Cabinet size
Pixel density	6944dots/ m ²	Pixel configuration
Red wavelength	625±2nm	Green wavelength
Blue wavelength	470±2nm	Colors
Ideal viewing distance	39.4'-393.7' (12-120m)	Horizontal viewing angle
Maximum power consumption	?2000W/ m ²	Brightness
IP grade	IP65	Grayscale
Color temperature	6500K	Control method

Driving method	Constant 1/2 scanning	Frame frequency
Refresh frequency	?300Hz	Working voltage
Working temperature	-20°C-- +60°C	MTBF
Lifespan	100,000 hours	



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com