How to make label

First make sure the CoreIDRAW plug-in and sheet cutting machine driver has been installed successfully.

Step1: Turn CoreIDRAW on, Setting document size.

📎 Corel	DRAW X6 (64 位)					- 0 X
文件(E) 视图(⊻) 工具(2) 窗口(\)	0 帮助(<u>H</u>)				
0 b		• 🔿 • 📉 🔤	🗠 📮 • 🖬	100% 🚽 贴齐(P) - 約 🕂 📕 🖸 Օ		60
A4	* [].1* .1*		印 _{目 lot} 单位:[
これなのため 日のの 母子 日代 たいれんめん				 割割文档 名称(0): 未命名・1 一次设日本(0): 自定义 上小 一次代目、日本(1): 日定义 日本(1): 1: 日本(1): 1: 日本(1): 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1:		○ ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●
10	*		将颜色(圆	对象)拖动至此处,以便将这些颜色与文档存储在一起		
光标位置 文档颜色	▶ 预置文件: 无 ▶			对象信息	 · · ·	1

Step2: Add marks

📉 CorelDRAW X6 (64 位) - [未命名 -1]	100.00	and the state			
🔌 文件(E) 編輯(E) 视图(V) 布局(L) 排列(A) 效果(C)	位图(B) 文本(X) 表格(T) 工具(Q) 窗口(W)	帮助(出)			- # ×
	📮 + 📰 36% 🛛 🖬 贴弃(P) + 🏭 🖬				61
1 210.0 mm		Add Assist Info			
1□ 297.0 mm 💽 🖬 🛄 🗠 🖽		λγ 5.0 mm ⊻≜			
250 200 150 100 50	0 50 100 150 5	200 250 300 350 400	450 卷米	对象管理器	» 🗖 🖾 🕞
6			^		ا 🛃 🛃
** 8				日 🗋 页面 1	× ×
	1 <u>+</u>	±		🤋 🙆 🍠 🔜 辅助线	国 二
				👁 🖶 🖋 🔳 OutLine Layer	
See and a second				🗄 🧟 🥬 🔤 Assist Layer	181
2 · · · · 2				🕀 🍽 🥬 Mark Layer	
					¹²
					- * -
0.					- A -
ч <u>.</u>					PER
字 9:			E.		
					2.84
1					Shirt -
					×
💕 B-					
0.					
4				-	
A		-		E	φ) °,
~					
*			*		-
◎通1 4 1/1 ▶ 1 值 <u>页1</u>	· · · · · · · · · · · · · · · · · · ·	III.	• Q		÷ K
****	何酮白(44) 新闻的星历发,必使传送坚护各与又任	17 1181.5 Ale	60		
ンルマービュー・ 文档締合結果文件・RGB:sRGB IEC61966-2 1: CMVK・Japan Color 2001 Coate	d:		101		1
XTARXETREXT*, Rob. ardb teco1500-2.1; CHIR. Japan Color 2001 Coate	ay 2012, our dail 1970 P				

Step3: Import label (to make sure that the label file includes label and contour lines)



Step4: Move "contour line" to "OutLine Layer"("label" in "layer1", "contour line" in "OutLine Layer")



Step5.1: Save print file, Click P, and then save the print file, easy to print)

📉 CorelDRAW X6 (64 位) - [未命名 -1]		TRI Minut And	and the second sec		
🔌 文件(F) 编辑(E) 视图(V) 布局(L) 排列(A) 效果(C) 位图(B) 文本(X) 非	5格(I) 工具(Q) 窗口(W) 帮助(H)			- # ×
C 🖿 🖬 🖶 🚿 🖷 🛍 🦘 - 🔿 - 🔣 🛃	😤 📮 🕶 🖬 36%	▼ 貼齐(P) ▼ 約 🕂 🔣 🖸 O			79
A4		▼ th.1mm ▲ 4 5.0 m Setting for print]		
10 297.0 mm x 100 50		100 150 200 250	200 200 400 400 ***		
N			ĨĨĨ	対象管理器	
1 m				OutLine Layer	
¥, 8				日 (一页面 1	
Q	+			● □ ● 補助线	
*				OutLine Lay	/er
A 22	(1)			H @ @ @ Assist Laver	轮廓
		🎯 🤍 🧐 🧐 💭		🕀 👁 🚽 🖉 🖬 Mark Laver	
	10. ~			日自主页面	
	Allow Port			🧟 🍠 🖬 辅助线 (所有:	页 🗧
0				🧟 🖉 🚊	* -
B .				● 🖗 🔎 ■ 文档网格	重复
후 약	TUTTY SZ	BABY AS ACT	=		94.a
	AL A	and the the			8 14
					1 COL
· =					\$#
2					×
Re	Shell				
		VEA 8			
0		Saga A			
<u>u</u> 2	ELEMEN WW	NT:合影與法教長有機造有限公司 WW.sagacnc.com			
	+	i+			
S					
			-		
। विविध व		i • [► Q		
	将颜色(或对象)倍动	至此处,以便将这些颜色与文档存储在一起			
(278.863, 309.865) ▶					A
又档颜芭预查又件: RGB: sRGB IEC61966-2.1; CMYK: Japan Color 2001 (Coated; 灰度: Dot Gain 15% 🕨				

📉 CorelDRAW X6 (64 位) - [未命名 -1]	The second day		1 10 10 10 10 10	
🔌 文件(E) 编辑(E) 视图(V) 布局(L) 排列(A) 效果(C) 位图(B) 文本(X) 表格(I) 工具(Q) 窗口(W) 帮助(H)			- @ ×
	🚓 🖵 - 🗊 36% 🛛 Mi齐(P) - 約 🕂 🔡 🖸	0		79
A4	▼ 保存绘图	X	Ŋ	
II 297.0 mm KA		- 4		
No. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10		· · · · · · · · · · · · · · · · · · ·		
(m. 1	组织 ▼ 新建文件夹		OutLine Layer	L 🖉 🖉
¥, 8-	🚺 下载 🔹 🔎 🖛 🛨	•	日 🗋 页面 1	× ⊠
			◎ ◎ ∮ 辅助线	
	3 最近访问的位置	=	日 ※ 日 テロ OutLine L	.ayer
2 R:	家庭組	-		伦卿
	□ ■ 系統文件夹		一曲线	
	Saca027		✓ 曲线	
	33ga027 系统文件夹		✓ 曲线	
0			一曲线	(相)
£	📕 计算机			
字 ⁹⁴	₩ 元は (2)	T		
	文件名(N: print file	T	A 支水子: Maigun 田 国 4 対象群组	Source 2
	保存类型(1): PDF - Adobe 可移植文档格式	-	田 🖪 5 对象群组	재물
* 4 B-			□ 🔓 5 对象群组	1 III III III III III III III III III I
2			🗄 🖪 6 对象群组	
			□ 3 7 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
8	💿 隐藏文件夹	保存取消		
۵,		ll.		
4	www.sagacnc.com		Assist Lay	
4 °-				
~			🦔 🔗 🍠 🧰 編助线 (所	有页)
* DH4 1/1 END 51	1	III &		F
	将颜色(或对象)府动至此处,以便将这些颜色与文档存储在一起			
(-244.563, 334.860) •				
文档颜色预置文件: RGB: sRGB IEC61966-2.1; CMYK: Japan Color 2001	Coated; 灰度: Dot Gain 15% 🕨			5 ¢ ,

Step5.2: Click P ,Connect to printer, print directly.



Step6.1: Save cut file, Click "O" than to click "C" to save the cut file (save--sheet cutter --print to filie--top left corner—print—all files—file name.plt—save—move SDcard)

📎 Ca	orelDRAW X6 (64 位) - [未命名 -1]	CR. Manual Hoad		
N	文件(F) 編輯(E) 视图(V) 布局(L) 排列(A) 效果(C) 位图(B) 文本(X) 表格(I) 工具(Q) 窗口(W) 帮助(H)		- " ×
1	🕒 🖬 🖶 🛠 🛍 🛍 🦘 • 🕐 • 🔣 🛃 🖧 📮 • 🔟 🔅	36% 🗸 贴齐(P) 🔸 🏦 🖪 🖸 🔿		77
000	x: 20.268 mm №1 29.769 mm 100.0 % € • 0.0 ° Bu 문		2 細线 → 50 +) 洪洪	
R	×, <u>250</u> 200 150 100 50 0	50 100 150 200 250 3	0	» 🗖 🖬 👸
◎ ↓ 0 ↓ 0 □ ○ □ ○ ↓ 0 ↓ 5 ↓ 0 ↓ 5 ↓ 0 ↓ 5 ↓ 0 ↓ 5 ↓ 0 ↓ 5 ↓ 0 ↓ 5 ↓ 5		Image: state state state	図 の1 の1 ●	
**	⁵ ⓑ ⊭ ╡ 1/1 ▷ ▷ ⓑ 页1	:] < [m		
(-5.6 文档)	:40, 323.098)	曲线于 OutLine Layer 15% ▶	III (今 文元	B: 0 (#FF 6 中) ,

			_ @ X
	1/(の) 立 士/(A) 主体(の) 工目(の) 森口(M) 邦時(の)		
	・ 🖬 36% ・ 貼芥(P) ・ 絵 🕇 📕 🖸 🔿		
pec x: 20.268 mm → 29.769 mm 100.0 % € .0 ○ y: 273.346 mm £ 30.049 mm	♪ □ △ 細线 - 50 → 洪		
× 250 200 150 100 50	0	1 <mark>50. **</mark> 对象管理器	» 🗖 🖬 🐻
4. (+770	1 ② 図 図 页 1 OutLine Layer	ال 🛃 🕨
14 B-	un dit	✔ 曲线	▲ × ×
P	常规 颜色 复合 布局 预印 🔔 1 个问题	~曲线	調査 (1)
4		← 曲线	
the get	打印机(P): SheetCutting	✓ 曲线	**
		一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一	開始
	只加(A): → □ 使用 PPD(E)	一曲线	0
	状念: 30.2首 位置: UISBODS		
	近照: ○55005	一曲残	*
0		一曲线	
₽3 <u>;</u>	打印范围	・曲线	短
字 9	◎ 当前文档(R) ◎ 文档(D) 份数(C): 1 🚔		
	◎ 当前页(U) ◎ 选定内容(5) □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	● 曲线	8
	● 页(G): 1 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	→ 曲线	24
	偶数页和奇数页 👻	← 曲线	E 48
<u></u>	□ 打印为位图(B): 300 🚽 dpi	✓ 曲线	
	打印类型(Y): CorelDRAW 默认值 另存为(V)	一曲线	
🛃 G-			
٥.	打印预览(W) 🖗 打印 取消 应用 帮助	一曲线	
		一田浅	
	++	一曲地	
		・曲线	
*			
	th华王 Outline Laver		
文档颜色预罟文件: RGB: sRGB IEC61966-2.1; CMYK; Japan Color 2001 Coated: 加	max, j Outline Layer 簡: Dot Gain 15% ▶	□□ ◎ ◎ ■ R: 255 G: 0 B: 0 (c)	#FF0000) 发丝
		<u>n</u>	

📎 CorelDRAW X6 (64 位) - [未命名 -1] - 0 X 文件·EP 编辑·EP 视图·M 布局·L 排列·A) 效果·C) 位图·B) 文本·(A) 表格·EP 工具·O) 窗口·W) 帮助·L) N 🔐 🖿 🖬 📇 🛠 🖬 🛍 🦘 - 🕐 - 🔣 🛃 🕰 🗣 📮 - 📷 36% ▼ 贴齐(P) → 能 🕂 📕 🖸 O 100.0 % • 9.0 ° bia 문 🐒 🕞 — — — D 🛄 🛆 細线 ▼ 50 ÷ 3.0 除: 290 200 150 100 50 0 50 100 150 200 250 300 350 400 450 ₹★ 对象管理器 » 🗆 🔀 函國國 页 1 OutLine Layer • * * X 打印 ✓ 曲线 对象属性 300 . $\hat{\boxtimes}$ 常规 颜色 复合 布局 预印 🔥 1个问题 く曲线く曲线 top left corner 图像位置和大小 ◎ 与文档相同(D) (c) 国制法 [0] ✓ 曲线 ✓ 曲线 ◎ 调整到页面大小(F) 🗌 包含标记和调校栏 一曲线 ④ 将图像重定位到(R): 1¹¹ 步长和重复 左上角 ✔ 曲线 ▶页1: ✓ 曲线 ✓ 曲线 0, 位置(P): 粗细(乙) x: -569.98 * * * 201.02 * 100 * * % # 1 y: 5,148.5 * * * 288.02 * * 100 * * % # 1 8 一曲线 150 2011 対象管理器 × 字 🔲 🔪 💊 📲 💊 ✓ 曲线 平铺标记(M) 打印平铺页面(T) 平铺重叠(V); .0 mm 🛟 0 🐳 页宽 % 一曲线 1001 ✔ 曲线 4.0 mm 🔺 出血限制(B): ✔ 曲线 一曲线 版面布局(L): ▼ 编辑(E)... 与文档相同(全页面) 一曲线 3 一曲线 取消 应用 帮助 打印预览(W) 打印 ・曲线・曲线・曲线 ۵. j+ + -一曲线 ٠. ・ 曲銭 く 曲銭 10 H Û : 🕑 🗶 🖂 (-187.221, 334.125) 🕨 曲线于 OutLine Layer 0 今∑无 . ∆ R: 255 G: 0 B: 0 (#FF 🥑 中 → , 文档颜色预置文件: RGB: sRGB IEC61966-2.1; CMYK: Japan Color 2001 Coated; 灰度: Dot Gain 15% ▶



6.2.Use USB cut directly. Click "O" than to click "C"

(save -sheet cutter -top left corner-print)

🝸 CorelDRAW X6 (64 位) - (未命名 -1)		
文件 [编辑 [规图] 《 市局 [】 排列 () 效果 () 位图 () 文本 () 表相 () 工具 () 卷口 () 帮助 ()		- • ×
🕆 🖿 📮 📇 📉 🏠 🦘 - か - 💸 🛃 ⊉ 🗣 📷 35% 🛛 - 🖬 55% 助济(*) - 約 🕂 🕇 📕 💽 💽		77
A4 ↓ 10 220.0 mm ▼A □ □ □ □ □ 单位: 褒米 ▼ ◆ .1 mm ▼ 4, 5.0 mm ▼A		
* 250 200 150 100 50 0 50 100 150 200 250 300 350 400 450	^{老米} 对象管理器	» 🗖 🖾 👸
新 新 新 新 新 新 新 新 新 新 新 新 新 新 新 1	國國國國國國國國國國國國國國國國國國國國國國國國國國國國國國國國國國國國	· · · · · · · · · · · · · · · · · · ·
● 当前页(U) ● 造前页(G): 1 ● 近(G): 1 ● 近(G)	→ 曲线 → 由 → ●	
(221.521, 330.449)		G #
	×	



There are two kinds of working:SDcard and USB

1:SD card

Step1: Installed print materials in the machine tray.



Step2: Installed blade holder (make sure the blade force is appropriate)



Step3: Click "option" check the cut file.(speed up and down to select file, force left and right to select folder)





Step4 : After select cut file, click "enter", display the number of cutting, (speed up and down, force left and right can Adjusting number)



Step5:click "enter" the machine will be feed paper and scan than cut label.

2: USB direct output

Step1: Installed print materials in the machine tray.



Step2: Installed blade holder (make sure the blade force is appropriate)



Step3:click "O"and than click"C",print directly—sheet cutter -top left corner--print

📉 CorelDRAW X6 (64 位) - [未命名 -1]	- 0 X
🕺 文件印 _ 编辑(印) 视图(1) 布局(1) 排列(4) 效果(C) 位图(8) 文本(3) 表格(1) 工具(2) 審口(10) 帮助(11)	- ē' ×
🖀 🖻 🖬 🔁 🛠 🖻 🏷 ・ 🖏 🛃 🖓 🔩 🗣 🔲 36% 🔹 95次の ・ 差 🕇 📕 🖸 O	
aaa y: 273.346 mm 100.0 % 10/10 m 100.0 %	
☆ 250 200 150 100 50 0 50 100 150 200 350 400 450 未米 対象管理器 □	
	۵ 🙀 💽
	1 2 🛛
常规 颜色 复合 布局 预印 1 1 1 行问题 ———————————————————————————————————	(四)
↑ 第 打印机(P): SheetCutting ●	轮廓
飞 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	图(0)
□	
○ 第一 位置: USB005 / 曲线	*
· · · · · · · · · · · · · · · · · · ·	×
2. 新学校 11 日本 11 日	
● 当前文档(R) ● 文档(D)	
	X 8
	珍珠
各 偶赦页和前赦页 (曲线	= \$# *
■ 打印力位置(b): 300 ÷ dpl	
⑤ 1 打印类型(Y): CoreiDRAW 默认值 另存为(Y)	
一曲線	
	* *
(347.231, 333.390) ▶ 曲线于 Outline Layer	
文档颜色预置文件: RGB: sRGB IECG1966-2.1; CMMK: Japan Color 2001 Coated; 灰霞: Dot Gain 15% ▶ 🖉 📕 R: 255 G: 0 B: 0 (#FF	(日英),

Step4: the machine will be feed paper.and scan than cut label.