

## HEAT TRANSFER VINYL

We are looking for distributor, please ask us for better offer!  
Samples are available.



**Sign-in-China.com**

Online Wholesale for AD & Signage Products

### Chemica Heat Transfer Vinyl

We have been a proud distributor of Chemica heat transfer vinyl!  
Chemica is known industry wide for it's quality manufacturing and it's large variety of transfer films and vinyls.

#### I. Chemica Cuttable Heat Transfer Vinyls (HTV)

Series: Firstmark, Hotmark, Hotmark Revolution

### Chemica FirstMark PVC Digital Cut Heat Transfer Vinyl

Item Code: HTF-CUT-FST-US

#### FIRSTMARK

High speed cutting, ultra-fine detail, easy weeding!

FirstMark is a budget conscious, high quality PVC vinyl that is easy to cut and easy to weed. It is also Phthalate free!

Applications: Semi-matte finish for cotton, polyester, acrylic fabrics.



#### Technical data:



PVC



4-5 Mil  
105-125 µm



45°  
Blade



300°F  
150°C



Peel:  
warm to cold



10 - 15 sec


**OEKO-TEX®**  
CONFIDENCE IN TEXTILES  
**STANDARD 100**



Class 1  
(113/129=Class 2)



101 WHITE



103 BLACK



106 RED



109 ROYAL BLUE

#### Samples



#### Specification:

Size: 15in by 5yds (0.38m x 5m)

Available Color: 101 White, 103 Black, 106 Red, 109 Royal Blue

Thickness: 110µm (4mil)

Surface: Semi-Matt

[Learn More >>](#)



Add: Room 17-20, F-3M, Building 1, Community 3, Hanwei International Plaza,  
No.186, Western Road of South 4th Ring Road, Fengtai District, Beijing, China. 100070  
Cell Phone: **+86 138 012 487 14**  
Business Cooperation - [info@Sign-in-China.com](mailto:info@Sign-in-China.com)

## HEAT TRANSFER VINYL

We are looking for distributor, please ask us for better offer!  
Samples are available.



**Sign-in-China.com**

Online Wholesale for AD & Signage Products

### Chemica HotMark Revolution PU Digital Cut Heat Transfer Vinyl for Nylon

Item Code: HTF-CUT-HMREVO-US

#### HOTMARK REVOLUTION

It's versatile, yet thin, soft, and stretchable.

Chemica HotMark Revolution Heat Transfer Vinyl is a premium, hot peel, universal PU heat transfer film that can be applied on an amazing variety of fabrics.

Applications: Suitable for 100% Cotton, 100% polyester, cotton / poly blends, Nylon, leather, and Lycra Spandex.



#### Technical data:



PU



3 mil  
80 µm



45°  
Blade



230-285°F  
110-140°C



Peel : hot OR cold  
(Nylon= HOT peel only)



5-25 sec

OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100

Class 1  
(375/332=Class 2)




301 WHITE




303 BLACK



306 RED



309 ROYAL BLUE



304 GOLDEN YELLOW

#### Features:

- > It can be activated at a lower temperature which will protect the fibre better.
- > Quick Press to cotton in just five seconds
- > Peel hot or cold for maximum productivity
- > Clear self-adhesive Polyester liner for easy weeding and more forgiving cutting parameters
- > Very easy to cut and weed using a standard 45° plotter blade

#### Specification:

Material: PU

Thickness: 80µm (2.7-3mil)

Size: 15in by 5yds (0.38m x 5m)

Available Color: 301 White, 303 Black, 306 Red,  
309 Royal Blue, 304 Golden Yellow

Surface: Matt

#### Samples



Learn More >>



Add: Room 17-20, F-3M, Building 1, Community 3, Hanwei International Plaza,  
No.186, Western Road of South 4th Ring Road, Fengtai District, Beijing, China. 100070  
Cell Phone: +86 138 012 487 14  
Business Cooperation - info@Sign-in-China.com



## HEAT TRANSFER VINYL

We are looking for distributor, please ask us for better offer!  
Samples are available.



**Sign-in-China.com**

Online Wholesale for AD & Signage Products

### Chemica HotMark Thinnest PU Digital Cut Heat Transfer Vinyl

Item Code: HTF-CUT-HM70-US

#### HOTMARK

HotMark is perfect for small details and has one of the widest color selections available.

Not only is it super stretchable, but is also the thinnest heat transfer vinyl on the market!

Applications: Polyester, cotton / poly blends, cotton materials,rylic & similar fabrics, dark or light color.



#### Technical data:



PU



2-2.5 mil  
50 - 60 µm



45°  
Blade



300-320°F  
150-160°C



Peel : cold



15 - 20 sec

OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100



Class 1  
(475/432=Class 2)



401 WHITE



406 RED



403 BLACK

#### Specification:

Material: PU




Thickness: 50-60µm (2-2.5mil)

Size: 15in by 5yds (0.38m x 5m)

Available Color: 401 White, 403 Black, 406 Red

Surface: Matt

#### Samples



Learn More >>



Add: Room 17-20, F-3M, Building 1, Community 3, Hanwei International Plaza,  
No.186, Western Road of South 4th Ring Road, Fengtai District, Beijing, China. 100070  
Cell Phone: +86 138 012 487 14  
Business Cooperation - info@Sign-in-China.com

## HEAT TRANSFER VINYL

We are looking for distributor, please ask us for better offer!  
Samples are available.



**Sign-in-China.com**

Online Wholesale for AD & Signage Products

### II. Chemical Printable Heat Transfer Vinyls (HTV)

Series: BestPrint, HotmarkPrint, HotmarkPrint SIR

#### Chemica HotmarkPrint SIR 1795 Printable Dye Block Heat Transfer Vinyl 20" x 22yards

Item Code: HTF-PC-1795-US

##### 1795 HOTMARKPRINT SIR

HotmarkPrint SIR is specially formulated with a dye-blocking layer to block dye migration on sublimated garments.

Applications: Specifically designed for heavy sublimated fabric, polyester garments, also can be applied to cotton or cotton / poly blends, softshell materials.

Applicable Ink: Solvent and Eco-Solvent Ink



##### Technical data:



PU



4 mil  
100 µm



45° Blade



300°F  
150°C



20 sec



Peel: hot

OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100



Class 1

##### End Dye Migration



##### Specification:

Material: PU

Thickness: 100µm (4mil)

Size: 20in by 22yds (0.5m by 20m)

Color: White

Surface: Matt

##### Samples



[Learn More >>](#)



Add: Room 17-20, F-3M, Building 1, Community 3, Hanwei International Plaza,  
No.186, Western Road of South 4th Ring Road, Fengtai District, Beijing, China. 100070  
Cell Phone: +86 138 012 487 14  
Business Cooperation - info@Sign-in-China.com



## HEAT TRANSFER VINYL

We are looking for distributor, please ask us for better offer!  
Samples are available.



**Sign-in-China.com**

Online Wholesale for AD & Signage Products

Chemica HotmarkPrint 1792 Printable Thinnest and Stretchiest Heat Transfer Vinyl 20" x 22yards  
Item Code: HTF-PC-1792-US

### 1792 HOTMARKPRINT

HotMarkPrint is our thinnest, stretchiest, and softest opaque printable heat transfer film!

Applications: Polyester, cotton / poly blends, cotton materials, dark or light color.

Applicable Ink: Solvent / Eco-Solvent Ink / HP Latex Ink



#### Technical data:



PU



2 mil  
50 µm



45° Blade



320°F  
160°C



20 sec



Peel: warm



OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100

Class 1

#### Specification:

Material: PU

Size: 20in by 22yds (0.5m by 20m)

Thickness: 50µm (2mil)

Color: Opaque White

Surface: Matt

#### Samples



[Learn More >>](#)



Add: Room 17-20, F-3M, Building 1, Community 3, Hanwei International Plaza,  
No.186, Western Road of South 4th Ring Road, Fengtai District, Beijing, China. 100070  
Cell Phone: **+86 138 012 487 14**  
Business Cooperation - [info@Sign-in-China.com](mailto:info@Sign-in-China.com)

## HEAT TRANSFER VINYL

We are looking for distributor, please ask us for better offer!  
Samples are available.



**Sign-in-China.com**

Online Wholesale for AD & Signage Products

Chemica BestPrint 1702 Printable PVC Heat Transfer Vinyl 20" x 22yards, Matt White Color  
Item Code: HTF-PC-1702-US

### 1702 BESTPRINT

BestPrint (formally known as EasyPrint) is our best-selling printable heat transfer vinyl!

It is a matte, white PVC media that produces exceptional print quality and brilliant color.

Print, cut, & apply without tape! It is easy to cut and weed.

Applicable Ink: Solvent/ Eco-Solvent Ink/HP Latex Ink

Suitable for: Cotton, polyester, acrylic and similar fibres.



#### Technical data:



PVC



6 mil  
160 µm



45° Blade



320°F  
160°C



20 sec



Peel: hot

OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100



Class 2

#### Specification:

Materials: PVC


Size: 20in by 22yds (0.5m by 20m)

Thickness: 160 microns (USA: 6.2 mils).

Carrier: Transparent polyester.



#### Samples



[Learn More >>](#)



Add: Room 17-20, F-3M, Building 1, Community 3, Hanwei International Plaza,  
No.186, Western Road of South 4th Ring Road, Fengtai District, Beijing, China. 100070  
Cell Phone: **+86 138 012 487 14**  
Business Cooperation - [info@Sign-in-China.com](mailto:info@Sign-in-China.com)